FORM PTO	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE									ATTY DOC	SERIAL NOT Y				
LIST OF DOCUMENTS CITED BY APPLICAN (Use several sheets if necessary)														ASSIGNED	
							_			<b>г</b> .	APPLICANT: Robert CAMPBELL et al.				
	(and service another in increased))									FILING DAT			GROUP	):	
	•	-		1	U.S. 1	PATE	NT I	DOC	UMENTS (incl	ude at least patentee, pa	tent number, ar	nd issue dat	e) .		
EXAMINER INITIAL		DOCUMENT NUMBER DATE								PATENTEE		CLASS	SUBCLASS		DATE IF
EGS	AA	5	1	1	6	9	6	4	5/26/92	CAPON et al.	CAPON et al.		69.7		
	AB	5	1	5	5	0	2	7	10/13/92	SLEDZIEWSK	il et al.		69.7		
	AC	5	5	6	7	6	1	1	10/22/96	RALPH et al.			69.51	12/12/94	<b>,</b>
	AD	5	7	0	5	4	7	.8	1/6/98	BOIME			8	11/4/94	
	AE	5	6	5	0	1	5	0	7/22/97	GILLIES			134.1	7/27/94	
V	AF	5	4	4	7	8	5	1	9/5/95	BEUTLER et a	BEUTLER et al.		69.7		
			FOR	ŒIG	IN PA	TEN	T DO	CU	MENTS (includ	le at least document nun	nber, publicatio	n date and	country)		
													TRANS	LATION	
		-	DOCUMENT NUMBER						DĂTE	COUNTRY ·		CLASS	SUBCLASS	YES	NO
EGS	AG	WO 95/31544 23NO1993 WIPO													
EGS	EGS AH WO 9319777 14OC1993			140C1993	. PCT		·			<u> </u>					
		<b>.</b>		01	THER	DO	CUM	ENT	'S (include at lea	ast document number, p	ublication date	and country	y)		
EGS AI AB N			AB NARAYAN, Prema et al., "Functional expression of yoked human chorionic gonadotropin in baculovirus-infected insect cells.", MOLECULAR ENDOCRINOLOGY, vol. 9, no. 12, pp. 1719-1726 (1995).												
	AJ		JOHNSON, Gregory A. et al., "Baculovirus-insect cell production of bioactive choriogonadotropin- immunoglobulin G heavy-chain fusion proteins in sheep.", BIOLOGY OF REPRODUCTION, vol. 52, pp. 68-73 (1995)												
	AK	<del> </del>	WU, Chengbin et al., "Protein engineering of a novel constitutively active hormone-receptor complex.", JOURNAL OF												
			BIOLOGICAL CHEMISTRY, vol. 271, no. 49, pp. 31638-31642 (1996).												
	AL	SM CH	SMITH, Richard et al., "The active form of tumor necrosis factor is a trimer.", JOURNAL OF BIOLOGICAL CHEMISTRY, col 262, no. 15, pp. 6951-6954 (1987).												
	AM		ECK, Michael et al., "The structure of tumor necrosis factor-alpha at 2.6 A resolution.", JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 264, no. 29, pp. 17595-17605 (1989).												
	AN	101	JONES, E.Y. et al., "Structure of tumor necrosis factor.", NATURE, vol. 338, pp. 225-228 (1989).												
	AO									n lymphotoxin (tumor no. 4, pp. 2119-2122		tor-beta) a	t 1.9 A resolutio	n." JOUR	NAL
V	AP		PIERCE, John et al., "Glycoprotein hormones structure and function.", DEPARTMENT OF BIOLOGICAL CHEMISTRY, Univ. of Cal., (1991).												
XAMINER	KAMINER /Elly Gerald Stoica/						ca	1		DATE CONSIDERED 12/15/2006					
XAMINER						lerec	l. D	raw	line through c	itation if not in confo	rmance and n	ot conside	red. Include cop	py of this	form

FORM PTO-14	49	U.S. DEPARTMENT OF COMME		ATTY DOCKET NO.	SERIAL NO.							
		PATENT AND TRADEMARK OFFICE	E	CAMPBELL-2D	Not Yet Assigned							
	LIST	OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)		APPLICANT: Robert CAMPBELL et al.								
		•		FILING DATE: On Even date GROUP: herewith								
EXAMINER INITIALS		OTHER DOCUMENTS (include at least document number, publication date and country)										
EGS	AQ	LAPTHORN, A.J. et al., "Crystal structure of human chorionic gonadotropin.", NATURE, vol. 369, pp. 455-461 (1994).										
	AR	WU, Hao et al., "Structure of human chorionic gonadotropin at 2.6-A resolution from MAD analysis of the selenomethionyl protein.", STRUCTURE, vol. 2, no. 6, pp. 545-558 (1994).										
	AS	ENGLEMANN, Hartmut et al., "Antibodies to a solul activity.", JOURNAL OF BIOLOGICAL CHEMISTI	tumor necrosis factor (TNF) receptor have TNF- like , no. 24, pp. 14497-14504 (1990).									
	AT	ADAM, Dieter et al., "Cross-linking of the p55 tumor induces nuclear factor-Kbeta and mediates cell death. pp. 17482-17487 (1995).	r necrosis fa .", JOURNA	osis factor receptor cytoplasmic domain by a dimeric ligand IRNAL OF BIOLOGICAL CHEMISTRY, vol. 270, no. 29,								
	AU	LOETSCHER, Hansruedi et al., "Recombinant 55-kda tumor necrosis factor (tnf) receptor.", JOURNAL OF-BIOLOGICAL CHEMISTRY, col. 266, no. 27, pp. 18324-18329 (1991).										
	AV	BANNER, David W. et al., "Crystal structure of the soluble human 55kd tnf receptor-human tnfbeta complex: implications for tnf receptor activation.", CELL, vol. 73, pp. 431-445 (1993).										
	AW	PENNICA, Diane et al., "Biochemical characterization of the extracellular domain of the 75-kilodalton tumor necrosis factor receptor.", BIOCHEMISTRY, vol. 32, pp. 3131-3138 (1993).										
	AX ENGELMANN, Hartmut et al., "Two tumor necrosis factor-binding proteins p BIOLOGICAL CHEMISTRY, vol. 265, no. 3, pp. 1531-1536 (1990).				urine.", JOURNAL OI							
	AY	tors circulate during experimental ctor aolha in vitro and in vivo." P	and clinical ROC. NATL. ACAD.									
	AZ	SCI., col. 89, pp. 4845-4849 (1992).  ADERKA, Dan et al., "Stabilization of th bioactivity col. 175, pp. 323-329 (1992).	crosis factor by its soluble receptor	ors.", J. EXP. MED.,								
	BA MOHLER, Kendall et al., "Soluble tumor necrosis factor (tnf) receptors are effective therapeutic agents i endotoxernia and function simultaneously as both tnf carriers and tnf antagonists.", JOURNAL OF IMM 151, no. 3, pp. 1548-1561 (1993).											
	BB BERTINI, Riccardo et al., "Urinary tnf-binding protein (tnf soluble receptor) protects mice against the lett and endotoxic shock.", EUR. CYTOKINE NETW., vol. 4, no. 1, pp. 39-42 (1993).											
	BC PIGUET, P.F. et al., "Evolution of collagen arthritis in mice is arrested by treatment with anti- antibody or a recombinant tnf receptor.", IMMUNOLOGY, vol. 77, pp. 510-514 (1992).											
	BD	BD WILLIAMS, Richard et al., "Successful therapy of collagen-induced arthritis with tnf receptor-lgG fusion processing to a combination with anti-CD4.", IMMUNOLOGY, vol. 84, pop. 433-439 (1995).										
$\overline{\mathbf{V}}$	BE	CAPON, Daniel et al., "Designing CD\$ immunoadhe	esions for A	IDS therapy." NATURE, vol. 337	, pp. 525-531 (1989)							
EXAMINER		/Elly Gerald Stoica/	DATE CON: 12/15/									
EXAMINER:	Initial i	f reference considered. Draw line through citation if no	t in conform	nance and not considered. Include	copy of this form with							

FORM PTO-1449		U.S. DEPARTMENT OF COMMER	CE ATTY DOCKET NO.	SERIAL NO.							
		PATENT AND TRADEMARK OFFICE	CAMPBELL=2D	Not Yet Assigned							
	LIST	OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)	APPLICANT: Robert CAMPI	APPLICANT: Robert CAMPBELL et al.							
		(os secial model in instance),	FILING DATE: On Even date herewith	GROUP:							
EXAMINER NITIALS		OTHER DOCUMENTS (include at least document number, publication date and country)									
EGS	BF	ASHKENZAZI, Avi et al., "Protection against endotoxic shock by a tumor necrosis factor receptor immunoadhesion.", PROC. NATL. ACAD. SCI. USA, vol. 88, pp. 10535-10539 (1991),									
	BG	SUITTERS, Amanda et al., "Differential effect of isotype on efficacy of anti-tumor necrosis factor alpha chimeric antibodies in experimental septic shock.", J. EXP. MED., vol. 179, pp. 849-856 (1994).									
1	ВН	NOLAN, Orla et al., "Bifunctional antibodies: concept, production and applications.", BIOCHIMICA ET BIOPHYSICA ACTA, vol. 1040, pp. 1-11 (1990).									
	BI	RODRIQUES, Maria L. et al., "Engineering Fab' fragments for efficient F9ab) <sub>2</sub> formation in escherichia coli and for improved in vivo stability.", JOURNAL OF IMMUNOLOGY, vol. 151, no. 12, pp. 6954-6961 (1993).									
	BJ	CHANG, Hsiu-Ching et al., "A general method for facilitating heterodimeric pairing between two proteins: application to expression of alpha and beta t-cell receptor extracellular segments.", PROC. NATL. ACAD. SCI. USA, vol. 91, pp. 11408-11412 (1994).									
	BK	KIRK, Zining et al., "Solution assembly of a soluble, heteromeric, high affininty interleukin-2 receptor complex.", JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 270, no. 27, pp. 16039-16044 (1995).									
	BL	BAZZIONI, F. et al., "Chimeric tumor necrosis factor re ACAD. SCI. USA, vol. 92, pp. 5376-5380 (1995).	ceptors with constitutive signaling activi	ty.", PROC. NATL.							
	ВМ	BOLDIN, Mark et al., "Self-association of the "Death do fas/apo1 prompts signaling for tnf and fas/apo1 effects.", pp. 387-391 (1995).	mains" of the p55 tumor necrosis factor JOURNAL OF BIOLOGICAL CHEMI	(tnf) receptor and STRY, vol. 270, no. 1,							
	BN	VU, Thien Khai et al., "Molecular cloning of a functional thrombin receptor reveals a novel proteolytic mechanism of receptor activation.", CELL, vol. 64, pp. 1057-1068 (1991).									
	ВО	SONG, Ho Yeong et al., "Aggregation of the intracellula the two-hybrid system.", J. OF BIOLOGICAL CHEMIS									
	BP	RUSSELL, Deborah et al., "Combined inhibition of inte improved survival and organ function.", J. INFECTIOUS									
	BQ	RAO, Ch. et al., "Stability of human chorionic gonadotro GYNECOL., vol. 146, no. 1, pp. 65-68 (1983).	pin and its alpha subunit in human bloo	d.", AM. J. OBSTET.							
	BR	DAMEWOOD, Marian et al., "Disappearance if exogene AND STERILITY, vol. 52, no. 3, pp. 398-400 (1989).	usly administered human chorionic gon	adotropin.", FERTILIT							
	BS	CHEN, Fang et al., "The carboxy-terminal region of the binding and signaling in human chorionis gonadotropin.									
	BT	Abstract of BIELINSKA, M. et al., "Site-directed mutag chorionic gonadotropin alpha subunit.", MEMBRANE F	enesis identifies two receptor binding do ECEPTORS, no. 1844. J. CELL B	mains in the human							
$\Psi$	BU	FURUHASHI, Madoka et al., "Fusing the carboxy-terminal peptide of the chronic gonadotropin (cg) beta-subunit to the common alpha-subunit: retention of o-linked glycosylation and enhanced in vivo bioactivity of chimeric human cg.", MOLECULAR ENDOCRINOLOGY, 9:(1) pp. 63 (1995).									
EXAMINER		/BIIV GCIGIG DLOICG/	E CONSIDERED L2/15/2006								

FORM PTO-1449		U.S. DEPARTMENT OF COMM	ATTY DOCKET NO.	SERIAL NO.						
		PATENT AND TRADEMARK OFFIC	Œ	CAMPBELL=2D	Not Yet Assigned					
	LIST	OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)	•	APPLICANT: Robert CAMPBELL et al.						
		•		FILING DATE: On Even date herewith	GROUP:					
EXAMINER INITIALS		OTHER DOCUMENTS (include at least document number, publication date and country)								
EGS	BV	SUGAHRA, Tadashi et al., "Biosynthesis of a biologically active single peptide chain containing the human common alpha and chorionic gonadotropin beta subunits in tandem.", PROC. NATL. ACAD. SCI. USA, vol. 92, pp. 2041-2045 (1995).								
	BW	URLAUB, Gail et al., "Isolation of chinese hamster cell mutants deficient in dihydrofolate reductase activity.", PROC. NATL. ACAD. SCI. USA, vol. 77, no. 7, pp. 4216-4220 (1980).								
	вх	NOPHAR, Yaron et al., "Soluble forms of tumor need 10, pp. 3269-3278 (1990).	crosis factor	r receptors (tnf-rs).", THE EMBO JOURNAL, vol. 9, no.						
	BY	FIDDES, John et al., "Isolation, cloning and sequent gonadotropin.", NATURE, vol. 281, pp. 351-356 (1)	ce analysis o 979)	f the cDNA for the alpha-subunit of h	uman chorionic					
	BZ	FIDDES, John et al., "The cDNA for the beta-subun readthrough into the 3'-untranslated region.", NATU			tion of a gene by					
	CA	NATL. ACAD. SCI. USA, vol. 88, pp. 760-764 (1991).  COLE, Edward et al., "Recombinant human thyroid stimulating hormone: development of a biotechnology product f detection of metastatic lesions of thyroid cancer.", BIOTECHNOLOGY, vol. 11, pp. 1014-1024 (1993).								
	СВ									
	СС									
	CD	CHU, Gilbert., "Electroporation for the efficient trans RESEARCH, vol. 15, no. 3 (1987).	mammalian cells with DNA.", NUCLE	CIC ACIDS						
	CE	YEN, Janie et al., "A rapid in vitro cytotoxicity assa JOURNAL OF IMMUNOTHERAPY, vol. 10, pp. 1	y for the det 174-181 (199	etection of turnor necrosis factor on human BT-20 cells.", 991).						
	CF	F. BUSSOLINO et al., Plaelet activating factor prod angiogenesis, <u>J. Clin. Invest.</u> 96:940-952 (1995)	luced in vitro	by Kaposi's sarcoma cells induces ar	nd sustains in vivo					
V	œ	M. K. HELLERSTEIN et al., Journal of Acquired In (1996)	mmune Defic	ciency Syndromes and Human Retrovi	rology, 11:258-270					
				·						
				·.						
EXAMINER	R /R:	lly Gerald Stoica/	DATE CON 12/15/		•					
EXAMINE next commu	R: Initial i	f reference considered. Draw line through citation if n applicant.	ot in confon	mance and not considered. Include co	py of this form with					